



KALİTE KONTROL RAPORU  
QUALITY CONTROL REPORT 10204-3.1B



Sayfa No: Sayfa : 1/1  
Dök.No: F09.25 rev.03  
Tarih: 01.01.2008

Müşteri Customer		Rapor No-Tarih Report No-Date	
Parça Adı Part Name	SLOPE NUT 140X140	Sipariş Numarası Order No	
Parça Ağırlığı Unit Weight	1,5	Sevk Miktarı Quantity	
Parça Kodu Part Code	T140	Malzeme Material	GGG40

**Kimyasal Analiz Chemical Composition**

Şarj No Charge	% C	% Si	% Mn	% S	% P	% Mg	% Al	% Cr	% Mo	% Ni	% V
	3,59	2,58	0,21	0,009	0,038	0,047	-	-	-	-	-
	3,68	2,69	0,20	0,009	0,039	0,046	-	-	-	-	-
	3,73	2,64	0,20	0,009	0,038	0,048	-	-	-	-	-

**Mekanik Özellikler Mechanical Properties**

Şarj No Charge	Sertlik HB Hardness HB	Çekme Mukavemeti Rm Mpa Tensile Strength Rm Mpa	Akma Mukavemeti Rp MPa Yield Strength Rp MPa	Uzama A <sub>s</sub> % Elongation %	Kesit Daralması Z % Reduction of Area Z %
		135-185	400-550	250-350	15-27
	160	450	300	19	21
	155	450	300	19	21
	160	450	300	19	20

**Mikroyapı Microstructure**

Şarj No Charge	Grafite Ebadı Graphite Size	Küreselleşme % Nodularite %	%Matris %Matrix		% Zementit %Cementite
			Ferrite	Perrite	
0	OA-6	100	85	15	—
0	OA-6	100	85	15	—

Not

Notes

Inspector This inspection certificate was provided electronically and is valid without signature  
Stamp The Signed Original is available at Demirsoy.





DEMİRSOY Döküm Metal İns. San ve Tic. Ltd. Şti.  
 DEMİRSOY Casting metal Cons.Trade and Industry Ltd.Company  
 Tel/Pho: 00 90 212 485 40 85  
 Faks/Fax: 00 90 212 485 49 42

**DEMİRSOY DÖKÜM METAL İNŞAAT  
 SANAYİ VE TİCARET LTD. ŞTİ.**



**PRODUCT TECHNICAL INFORMATION**

<b>DISCRIPTION</b>	SLOPE NUT 140X140
<b>PART NO</b>	T140
<b>WEIGHT ( KG )</b>	1,500
<b>PICTURE/ DIMENSIONS</b>	
<b>MATERIAL</b>	GGG40
<b>USAGE</b>	<p>THIS PART USED AS A NUT FOR TIE ROD BAR AT FORMWORK SYSTEMS OR CONTRUCTION. USUALLY IT IS USED AT INDUSTRIAL FORMWORK TO HOLD ME MOULD TOGETHER</p> 
Inspector Stamp	This inspection certificate was provided electronically and is valid without signature The Signed Original ia avabile at Demirsoy.



DEMİRSOY Döküm Metal İnş. San ve Tic. Ltd. Şti.  
DEMİRSOY Casting metal Cons.Trade and Industry Ltd.Company  
Tel/Pho: 00 90 212 485 40 85  
Faks/Fax: 00 90 212 485 49 42

**DEMİRSOY DÖKÜM METAL İNŞAAT  
SANAYİ VE TİCARET LTD. ŞTİ.**



**TENSILE TEST RESULT/29.03.2017**

<b>DISCRIPTION</b>	SLOPE NUT 140X140
<b>PART NO</b>	T140
<b>WEIGHT ( KG )</b>	1,500
<b>TEST DEVICE</b>	100 Tons
<b>NAME</b>	Universal Testing Machine
<b>BRAND</b>	Shimadzu
<b>ATRICLE NO</b>	UH-F1000kNI
<b>DEVICE TYPE</b>	Digital
<b>APPLIED METHOD</b>	5mm/min
<b>AMBIENT TEMPERATURE</b>	21 C
<b>MEASURED LOAD(kN)</b>	174,85
<b>REMARKS/RESULTS</b>	After applying tensile force on sample till the value of 174,85 Kn , it is seen that stripping occured at this force and there was not any deformation on cast.
<b>SAMPLE PHOTOS</b>	

Inspector  
Stamp

This inspection certificate was provided electronically and is valid without signature  
The Signed Original ia available at Demirsoy.